



Transparent
Water-Based
Dye Colors

Developed by: CRAIG FRASER

4030 Intercoat

- Mix additive for improved spray performance and coating formation. Recommended for use with all Auto Air Colors and **candy20** at 10% per volume and greater. Not for use with AutoBorne Sealers.
- Use as protective inter-coat over base **candy20** prior to taping. 4030 Intercoat dries to a clear, hard surface with excellent adhesion; perfect for taping on. Use 4004 Transparent Base as secondary inter-coat when airbrushing multiple highlights with candy coats over 4030 protected base. 4030 can re-activate underlying coats of 4030 when used as additional inter-coat.

4012 High Performance Reducer

- Optional reducer for **candy20** and Auto Air Colors to lower viscosity for airbrush spray performance. 4012 is the only reducer for use with AutoBorne Sealers.

4020 Automotive Reducer

- Optional reducer for **candy20** and Auto Air Colors to lower viscosity for airbrush spray performance and accelerate drying times. Assists paint drying in humid or cold conditions.



Candy Mid-Coat

MID-COAT

candy20 Mid-Coat:

Apply 4 – 5 light, even coats over a metallic base color.

BASE-COAT

Metallic Base-Coat:

4100 or 4300 Series Metallic or Pearlized Colors.

- 4102 Aluminum Medium is the base metallic used for **candy20** color references.

BASE-COAT

candy20-Pearl Base-Coat:

Mix **candy20** directly with a 4300 Series Metallic & Pearlized Color or with a 4500 Series Hot Rod & Cosmic Sparkle Color.

Example: Mix 4650 Blood Red with 4331 Metallic White Coarse and apply over 6006 Sealer Red.

START HERE

AutoBorne Sealers:

Starting Foundation: Excellent Adhesion. Quick Drying. Creates a hard, durable surface over which colors flow well for a flat finish.

- Use 6013 AutoBorne Silver Sealer for 4102 Aluminum Medium and other silver-metallics. Creates a perfect, even orientation without a blotchy appearance.
- Color-key AutoBorne Sealer with **candy20**-pearl mix for a quick covering, dynamic finish which is easy to apply.