



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
 October 4, 2017
 Page 1

1. Identification of the Preparation and of The Company

Product Name and/or Code: Auto-Air Colors™ 4040 Bleed Checker
 Effective Date: 4-Oct-17
 Manufacturer: Color Craft Ltd/ Createx Colors/ Auto-Air Colors/ Wicked Colors
 14 Airport Park Road, PO Box 120
 East Granby, CT 06026
 Information Contact: 860-653-5505
 860-653-5505
 Emergency Contact: Contact your local Poison Control Center.
 Product Use: ART MATERIAL - Consumer Product.

2. Hazards Identification

Emergency Overview
CAUTION! IRRITANT.

Classification of the Product:

Label Elements

Pictograms

Conforms to ASTM D-4236



GHS07

Signal Word

CAUTION!

Hazard Statement

Causes eye and skin irritation.

Precaution Statement

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. **Use with adequate ventilation.**

First Aid Statement

In case of eye contact, flush immediately with plenty of water for at least 15 minutes and get medical attention immediately; for skin, wash thoroughly with soap and water. If swallowed, get medical attention immediately.

Children's Statement

KEEP OUT OF THE REACH OF CHILDREN.

NFPA

Health: 1

Flammability: 0

Reactivity : 0

HMIS

Health : 1

Flammability: 0

Physical Hazard: 0

Regulation (EC) No. 1272/2008

Studies have not been performed on this particular mixture. *The information below is based on data in the individual ingredients.*



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
October 4, 2017
Page 2

Acute Toxicity 4 H302; Acute Toxicity H312; Skin Irritation 2 H315;
Eye Irritation 2 H319; Acute Toxicity 4 H332; Flammable liquid 3
H226; STOT SE 3 H336; Eye Damage 1 H318; Skin Sensitizer 1
H317; Aquatic Acute 1 H400; Flammable liquid 3 H225; Acute
Toxicity 4 H314.

3. Composition/Information on Ingredients:

Substances:

Mixture of the following chemicals: Water (CAS No. 7732-18-5) < 45.00%
Triethylamine (CAS No. 121-44-8) < 1.00%
BIT: 1,2 -Benzisothiazol-3(2H)-one, 1,2 -Benzisothiazolin-3-one
(CAS No. 2634-33-5) < 50PPM

** This product contains a variety of detergents which are associated with the irritation warning as well as other non-hazardous ingredients.*

Risk and Safety Phrases:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.

4. First Aid Measures

Inhalation If affected, remove to fresh air.
Skin Contact Wash the affected area thoroughly with plenty of soap and water.
Eye Contact Carefully flush with water for 15 minutes and get medical attention immediately.
Ingestion Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

5. Firefighting Measures

Extinguishing Media Water, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards This product is not known to present any fire hazard.
Flashpoint/Flammability This product is not flammable.

6. Accidental Release Measures

Environmental Precautions Avoid release to the environment. *Studies have not been performed on this particular mixture.*
Methods and Materials for Containment and Cleaning up Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
 October 4, 2017
 Page 3

7. Handling and Storage

Safe Handling Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.

Storage Store between 50-100 deg. F., ideally 70 deg. F.

8. Exposure Controls/Personal Protection

Personal Protective Equipment Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

Exposure Limits

Substance	CAS#	OSHA PEL		NIOSH REL	ACGIH
		mg/m ³	8 hr TWA(ST) STEL (C) Ceiling	Up to 10 - hr TWA (ST) STEL (C) Ceiling	8 hr TWA (ST) STEL (C) Ceiling
Triethylamine	121-44-8	N/A	25 PPM	N/A	2 PPM (ST)
1,2-Benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	2634-33-5	NOT ESTABLISHED			

Respiratory and Ventilation Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

Appearance White

Physical State Liquid

Color White

Odor Acrylic-like.

Boiling Point Not determined.

Freezing Point Not determined.

State (pH) Neutral

Specific Gravity Not determined.

Viscosity Not determined.

Flashpoint Not applicable to this mixture.

Vapor Pressure Not applicable to this mixture.

Vapor Density <1

Solubility in Water Miscible

10. Stability and Reactivity



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
October 4, 2017
Page 4

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Elevated temperatures (>50°C) and freezing.
Incompatible Materials	None known.
Hazardous Decomposition Products	No dangerous decomposition products known. Decomposition products depend on conditions.

11. Toxicological Information

Health Effects:	Studies have not been performed on this particular mixture. The information below is based on data in the individual ingredients.
Oral	<i>BIT: US 500.00000000 mg/kg body weight</i> <i>Triethylamine: LD50 Rat: 460 mg/kg</i>
Dermal	<i>BIT: No data available.</i> <i>Triethylamine: LD50 Rabbit: 416 mg/kg</i>
Inhalation	<i>BIT: No data available.</i> <i>Triethylamine: LC50 (4h) Rat: 4.2 mg/l</i>
Eye Effects	Causes eye irritation.
Dermal Effects	Causes skin irritation.
Sensitization Effects	None known for the usual and ordinary uses of this product.
Inhalation Effects	None known for the usual and ordinary uses of this product.
Ingestion Effects	None known for the usual and ordinary uses of this product.
<u>Additional Toxicological Information:</u>	<i>When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided by the manufacturer.</i>

12. Ecological Information

Toxicity:	Not expected to be harmful to the environment. <i>Studies have not been performed on this particular mixture.</i>
Aquatic toxicity	<i>BIT: 1,2- Benzisothiazol-3(2H)-one, 1,2- Benzisothiazolin-3-one is a substance known to be very toxic to aquatic life.</i>
Persistence and Degradability	No information available.
Bio Accumulative Potential	No information available.
Mobility in Soil	No information available.
Additional Ecological Information	No information available.

13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
October 4, 2017
Page 5

14. Transport Information

DOT Non-Bulk	This regulation does not apply to the non-bulk material.
Shipping Name	Not applicable to this mixture.
Technical Shipping Name	Not applicable to this mixture.
Hazard Class	Not applicable to this mixture.
UN Number	Not applicable to this mixture.
Packing Group	Not applicable to this mixture.
IMDG	This regulation does not apply to the non-bulk material.
Shipping Name	Not applicable to this mixture.
Technical Shipping Name	Not applicable to this mixture.
Hazard Class	Not applicable to this mixture.
UN Number	Not applicable to this mixture.
Packing Group	Not applicable to this mixture.
EmS Number	Not applicable to this mixture.
Marine Pollutant	Not applicable to this mixture.
ICAO/IATA	This regulation does not apply to the non-bulk material.
Shipping Name	Not applicable to this mixture.
Technical Shipping Name	Not applicable to this mixture.
Hazard Class	Not applicable to this mixture.
UN Number	Not applicable to this mixture.
Packing Group	Not applicable to this mixture.
Marine Pollutant	Not applicable to this mixture.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA	Not applicable to this mixture.
Section 355 (Extremely hazardous substances)	Not applicable to this mixture.
Section 313 (Specific toxic chemical listing)	Not applicable to this mixture.
TSCA (Toxic Substance Control Act)	All ingredients are listed.
<i>Proposition 65</i>	WARNING: Cancer and Developmental - www.P65Warnings.ca.gov As of September 15, 2017, this product contains listed substances known to the State of California to cause cancer, at levels which would require a warning under the statute.



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
October 4, 2017
Page 6

Carcinogenicity Categories:

EPA (Environmental Protection Agency)	Not applicable to this mixture.
TLV (Threshold Limit Value established by ACGIH)	Refer to section 8.
MAK (German Maximum Workplace Concentration)	Not applicable to this mixture.
NIOSH (National Institute for Occupational Safety & Health)	Not applicable to this mixture.
OSHA (Occupational Safety & Health Administration)	Not applicable to this mixture.

16. Other Information

Reason for Issue:	New Product
Prepared by:	Rudolph J. Jaeger, Ph.D., DABT, ERT (UK) Chief Toxicologist and President ENVIRONMENTAL MEDICINE, INC. 778 CARVER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health: 1	Caution: May be irritating.
Fire: 0	Not combustible.
Reactivity: 0	Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Health: 1	Irritation or minor reversible injury possible.
Fire: 0	Materials that will not burn.
Reactivity: 0	Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.



SAFETY DATA SHEET
Auto-Air Colors™ 4040 Bleed Checker

CRX2017-288
October 4, 2017
Page 7

H Statements

- H225 - Highly Flammable liquid and vapour.
- H226 - Flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H317 - May cause an allergic reaction.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H336 - May cause drowsiness and dizziness.
- H400 - Very Toxic to aquatic life.

Exposure Limits

- TWA - Time Weighted Average (8 hr.)
- STEL - Short Time Exposure Limit (15 min.)
- REL - Recommended Exposure Limit
- PEL - Permissible Exposure Limit
- IDLH - Immediately Dangerous to Life or Health