



7/23/2014

SAFETY DATA SHEET

MANUFACTURER OR DISTRIBUTOR: **Color Craft, Ltd./Createx Colors /Auto Air Colors**
14 Airport Park Road East Granby, Connecticut 06026 U.S.A.

INFORMATION TELEPHONE NUMBER: 800-243-2712
EMERGENCY TELEPHONE NUMBER: 800-243-2712

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **AUTOBORNE SEALERS** PRODUCT NUMBER: **AUTOBORNE**
PRODUCT SIZES: **NG**
BRAND NAME: **AUTOBORNE™** PRODUCT CLASS: **ACRYLIC/POLYMER SEALERS**

SECTION II - POTENTIAL HEALTH EFFECTS

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs
PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED
EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED
CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION III FOR COMPONENTS AFFECTED
MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

SECTION III - HAZARDOUS INGREDIENTS

<u>Ingredient</u>	<u>CAS #</u>	<u>PEL/TLV (MG/M#)</u>	<u>Max % Weight</u>	<u>NTP</u>	<u>IARC</u>
1-Methoxy-2-Propanol	107-98-2	n/a	3 -6%	n/a	n/a
2-Butoxy Ethanol	111-76-2	n/a	1-3%	n/a	n/a
Proprietary in H ₂ O		n/a	91- 96%	n/a	n/a

SECTION IV - FIRST AID

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

SECTION VI - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII -EXPOSURE CONTROLS

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED
WORK/HYGIENE PRACTICES: NONE REQUIRED ENGINEERING CONTROLS: NONE REQUIRED

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A MELTING POINT: N/A VAPOR PRESSURE: N/A SPECIFIC VAPOR DENSITY (AIR=1): N/A
SPECIFIC GRAVITY: N/A SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE
VOC Paint 116.59 g/l (0.257 lbs./gal) ***Sprayed product at 10% reduction with 4012 HPR = 141.30 g/l (0.3115 lbs./gal)

SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE
STABILITY: STABLE CONDITIONS TO AVOID: NONE
INCOMPATIBILITY (MATERIALS TO AVOID): NONE
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED The summated LD50 is 8359.4 mg/kg. This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII - ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE. WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS
NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):
NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS: 1-METHOXY-2-PROPANOL
2-BUTOXY ETHANOL

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:
1-METHOXY-2-PROPANOL 2-BUTOXY ETHANOL

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT: NONE

SECTION XVI - OTHER INFORMATION

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS

INGREDIENTS

Product Color

6001 WHITE
6002 BLACK
6003 GRAY
6004 YELLOW
6005 ORANGE
6007 LILAC
6008 BLUE (GS)
6009 PROCESS BLUE
6010 GREEN
6011 TAN
6012 BURGUNDY
6013 SILVER FINE
6014 SILVER MEDIUM

BRAND NAMES

THIS MSDS APPLIES TO THE FOLLOWING BRAND NAMES

Brand Name SKU

AUTOBORNE SEALERS