



## SAFETY DATA SHEET

## 4013 REDUCER

Page 1 of 7

| 1. Identification of the Preparation and of The Company |  |
|---|--|
|---|--|

|                             |   |
|-----------------------------|---|
| Product Name and/or code:   | 4013 Reducer  |
| Effective Date:             | 2/10/2020   |
| Manufacturer:               | Color Craft Ltd / Createx Colors<br>14 Airport Park Road, PO Box 120<br>East Granby, CT 06026 |
| Information Contact:        | 860-563-5505  |
| Emergency Telephone Number: | 800-255-3924<br>813-248-0573  |

|                             |  |
|-----------------------------|--|
| Emergency Response Service: | ChemTel Inc.<br>1305 North Florida Avenue<br>Tampa, FL 33602 USA<br>813-248-0573<br>www.chemtelinc.com |
|-----------------------------|--|

|   |                |
|---|----------------|
| Contact Number:   | MIS4120068     |
| Within the United States, Canada, Puerto Rico, and the U.S. Virgin Islands: | 1-800-255-3924 |

|  |                  |
|--|------------------|
| Outside the United States, Canada, Puerto Rico, and the U.S. Virgin Islands: | +01-813-248-0585 |
|--|------------------|

|         |                  |
|---------|------------------|
| China:  | 400-120-0751     |
| Brazil: | 0-800-591-6042   |
| India:  | 000-800-100-4086 |
| Mexico: | 01-800-099-0731  |

|                         |   |
|-------------------------|---|
| For Health Emergencies: | Contact your local Poison Control Center. |
| Product Use:            | Art Material – Consumer Product           |

| 2. Hazards Identification |  |
|---------------------------|--|
|---------------------------|--|

|                           |
|---------------------------|
| <i>Emergency Overview</i> |
|---------------------------|

|   |
|---|
| <b>WARNING! FLAMMABLE LIQUID AND VAPOR. EYE IRRITANT.</b> |
|---|

*Classification of the Product:*

Conforms to ASTM D-4236

Hazard Pictograms



GHS02



GHS07

Signal Word

WARNING!



## SAFETY DATA SHEET

### 4013 REDUCER

Page 2 of 7

|  |  |
|--|--|
| Hazard Statement   | May be harmful if swallowed and inhaled. May cause skin, nose and throat irritation. <b>Vapors may cause flash fire!</b>   |
| Precaution Statement:  | Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation. Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product. Use with adequate ventilation. Avoid release to the environment.   |
| Children's Statement<br>NFPA   | <b>KEEP OUT OF REACH OF CHILDREN.</b><br>Health: 2<br>Flammability: 3<br>Reactivity: 0   |
| HMIS   | Health: 2<br>Flammability: 3<br>Physical Hazard: 0   |
| Regulation (EC) No. 1272/2008 (CLP)<br><i>Signal Word Code (CLP Labelling)</i><br><i>H- Statements</i> | <b><u>Classification for the mixture under CLP Labelling:</u></b><br>Danger<br>Highly flammable liquid and vapour (H225); Causes serious eye irritation (H319); May cause respiratory irritation (H335); May cause drowsiness or dizziness (H336)  |
| <i>P-Statements</i>  | Wash thoroughly after handling (P264); Keep away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking.(P210); Keep container tightly closed. (P233); IF INHALED: remove person to fresh air and keep comfortable in breathing. Wear eye protection. (P280); IF IN EYES: rinse cautiously with water for several minutes. (P305, P351); Remove contact lenses, if present and easy to do. Continue rinsing. (P338); If eye irritation persists: Get medical attention. (P337, P313); Call POISON CENTER if you feel unwell. Do NOT induce vomiting. (P312). |
| Substances of very high concern (SVHC)   | No classification for the hazardous ingredient.  |

### 3.Composition/Information on Ingredients:

#### Substances:

Mixture of the following chemicals:

Isopropanol (CAS No. 7732-18-5) 10.0 - 15.0 %

***The remainder of the formulation is composed of non-hazardous ingredients.***

Regulation (EC) No. 1272/2008 (CLP)



**SAFETY DATA SHEET**  
**4013 REDUCER**

*Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.*

**4. First Aid Measures**

|              |   |
|--------------|---|
| Inhalation   | If affected, remove to fresh air.   |
| Skin Contact | Wash the affected area thoroughly with plenty of soap and water.                      |
| Eye Contact  | Carefully flush with water for 15 minutes. If irritation occurs, contact a physician. |
| Ingestion    | If swallowed, do not induce vomiting. Contact a physician immediately.                |

**5. Firefighting Measures**

|                         |  |
|-------------------------|--|
| Extinguishing Media     | Water, foam, carbon dioxide or dry chemical equipment. |
| Fire/Explosion Hazards  | Flash back possible over considerable distance.        |
| Flashpoint/Flammability | 83° F  |

**6. Accidental Release Measures**

|   |   |
|---|---|
| Methods and Materials for Containment and Cleaning up | Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water. |
|---|---|

**7. Handling and Storage**

|                           |  |
|---------------------------|--|
| Safe Handling             | Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage. |
| Environmental precautions | No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.  |
| Storage                   | Store containers in a cool, dry, well ventilated area. Keep away from heat and other sources of ignition.  |

**8. Exposure Controls/Personal Protection**

|                               |  |
|-------------------------------|--|
| Personal Protective Equipment | Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts. |
|-------------------------------|--|

Exposure Limits (USA)



## SAFETY DATA SHEET

## 4013 REDUCER

| Substance   | OSHA PEL                           | ACGIH   | ACGIH   |
|-------------|------------------------------------|---------|---------|
|             | TWA                                | TWA     | STEL    |
| Isopropanol | 980 mg/m <sup>3</sup> ;<br>400 PPM | 200 PPM | 400 PPM |

## Respiratory and Ventilation

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

## Skin Protection

Wear water resistant impervious gloves if handling bulk amounts.

## Eye Protection

Wear goggles where spills or splashing may occur.

|  |
|--|
| <b>9. Physical and Chemical Properties</b> |
|--|

|                     |   |
|---------------------|---|
| Appearance          | Clear liquid  |
| Physical State      | Liquid  |
| Color               | Colorless   |
| Odor                | Alcohol-like  |
| Boiling Point       | Not determined for the mixture (Isopropanol - 82.3°C, 180.1 °F) |
| Freezing Point      | Not determined for the mixture (Isopropanol = -88 °C, 126.2°F)  |
| State (pH)          | No data available   |
| Specific Gravity    | No data available   |
| Viscosity           | No data available   |
| Flashpoint          | 83 °F   |
| Vapor Pressure      | Not determined  |
| Vapor Density       | Not determined  |
| Solubility in water | Miscible  |

|                                     |
|-------------------------------------|
| <b>10. Stability and Reactivity</b> |
|-------------------------------------|

|                                  |  |
|----------------------------------|--|
| Reactivity:                      | No dangerous reaction known under conditions of normal use.                                  |
| Chemical Stability               | Stable under recommended storage conditions.   |
| Conditions to Avoid              | Avoid all sources of ignition.   |
| Incompatible materials           | Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds. |
| Hazardous Decomposition Products | Carbon monoxide, carbon dioxide.   |

|                                      |
|--------------------------------------|
| <b>11. Toxicological Information</b> |
|--------------------------------------|

|                |   |
|----------------|---|
| Health Effects | None known for the usual and ordinary uses of this product.   |
| Acute Toxicity | <i>May be harmful if swallowed. May affect the brain or nervous system causing dizziness, headache or nausea.</i> |



**SAFETY DATA SHEET**  
**4013 REDUCER**

|  |   |
|--|---|
| Eye Effects                                  | Cause eye irritation  |
| Skin Effects                                 | May cause skin irritation on sensitive individuals.   |
| Inhalation                                   | Vapors may be harmful.  |
| Inhalation                                   | <i>Isopropanol : May cause drowsiness or dizziness.</i>   |
| Sensitization                                | No effects are likely to occur during the foreseeable and reasonable use of the product.  |
| Ingestion                                    | No effects are likely to occur during the foreseeable and reasonable use of the product.  |
| Chronic Effects                              | No effects are likely to occur during the foreseeable and reasonable use of the product.  |
| <u>Additional toxicological information:</u> | When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided. |

*\*Studies have not been performed on this particular mixture. The information below is based on data on the individual Isopropanol (literature value) : LD50 Oral - 5, 050 mg/kg (Rat); LD50 Dermal - 4,059 mg/kg (Rat); LC50 Inhalation - 72.6 mg/l - 4 hrs. (Rat).*

**12. Ecological Information**

|                                   |  |
|-----------------------------------|--|
| Toxicity:                         | Not expected to be harmful to the environment. No product should be released to the environment. |
| Aquatic toxicity                  | Non- hazardous to water.   |
| Persistence and degradability     | Not persistent. Biodegradable. <i>Not relevant to this mixture.</i>                              |
| Bioaccumulate potential           | Does not occur. <i>Not relevant to this mixture.</i>   |
| Mobility in soil                  | Mixture is similar to water. <i>Not relevant to this mixture.</i>                                |
| PBT and vPvB                      | This mixture is not PBT/vPvB   |
| Additional ecological information | As a general rule, no product should be released to the environment.                             |

**13. Disposal Considerations**

Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.

**14. Transport Information**

**The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).**

|           |  |
|-----------|--|
| DOT       | This regulation does not apply to the non-bulk material. |
| IMDG      | This regulation does not apply to the non-bulk material. |
| ICAO/IATA | This regulation does not apply to the non-bulk material. |



## SAFETY DATA SHEET

## 4013 REDUCER

Page 6 of 7

*This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.*

|                                   |
|-----------------------------------|
| <b>15. Regulatory Information</b> |
|-----------------------------------|

Safety, health and environmental regulations/legislation specific for the substance or mixture.

|   |  |
|---|--|
| SARA  | Not applicable to this mixture.  |
| Section 355 (extremely hazardous substances)                | Not applicable to this mixture.  |
| Section 313 (specific toxic chemical listing)               | Not applicable to this mixture.  |
| TSCA (Toxic Substance Control Act)                          | All ingredients are listed.  |
| <b>California Proposition 65</b>                            | As of December 23, 2019, this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at concentrations which would require a warning under the statute. |
| Carcinogenicity categories                                  | Not applicable to this mixture.  |
| EPA (Environmental Protection Agency)                       | Not applicable to this mixture.  |
| TLV (Threshold Limit Value established by ACGIH)            | Not applicable to this mixture. Refer to section 8 for further information on individual substances of this mixture.   |
| NIOSH (National Institute for Occupational Safety & Health) | Not applicable to this mixture.  |
| OSHA (Occupational Safety & Health Administration)          | Not applicable to this mixture.  |
| MAK (German Maximum Workplace Concentration)                | Not applicable to this mixture.  |

|                              |
|------------------------------|
| <b>16. Other Information</b> |
|------------------------------|

|              |   |
|--------------|---|
| Prepared by: | Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)<br>Chief Toxicologist and President<br>ENVIRONMENTAL MEDICINE, INC.<br>778 Carver Avenue<br>WESTWOOD, NJ 07675<br>jaegerr@envmed.com<br>201-666-7929 x13 |
|--------------|---|



**SAFETY DATA SHEET**  
**4013 REDUCER**

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

**Abbreviations and acronyms:**

**NFPA (SCALE 0-4) National Fire Protection Association (USA)**

Health: 2 - May be harmful if inhaled or absorbed.  
Fire: 3 - Flammable liquid flash point below 100 F  
Reactivity: 0 - Stable. Not reactive when mixed with water.

**HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)**

Health: 2 - Moderate Hazard: Temporary or minor reversible injury possible.  
Fire: 3 - Serious Hazard: Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with Flash Points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F.  
Physical Hazard: 0 - Minimal hazard: This material is normally stable, even under fire conditions and will not react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

**Exposure Limits**

TWA - Time Weighted Average (8 hr.)  
STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit  
PEL - Permissible Exposure Limit  
IDLH - Immediately Dangerous to Life or Health

Available from:  
Dixie Airbrush  
[www.dixieart.com](http://www.dixieart.com)  
504.236.2163