



SAFETY DATA SHEET
WICKED COLORS
 10/22/15

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**
14 Airport Park Road
East Granby, Connecticut 06026
Phone: 800-509-6563
Fax: 1-860-653-0643

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

SECTION I – PRODUCT IDENTIFICATION

Product Name: Wicked Colors / Wicked Detail Colors

Product Number: Air-Brush

Product Sizes: NA

Brand Name: Wicked Colors

Product Class: ART MATERIAL - Consumer Product

SECTION II – HAZARDS IDENTIFICATION

Information pertaining to particular dangers for man and environment: Not a hazardous mixture

Emergency Overview

Non-Hazardous.

Label elements: Conforms to ASTM D-4236

Pictograms: No Pictograms are required for the mixture.

Signal Word: No signal word required.

Hazard Statement: No specific hazard warnings are required.

Precaution Statement: Not hazardous mixture.

Children's Statement: KEEP OUT OF REACH OF CHILDREN

Classification of the Product:

NFPA: Health 0 - Minimal Hazard
 Flammability 0 - Not Combustible
 Reactivity 0 - Stable

HMIS: Health 0 - Minimal Hazard
 Flammability 0 - Minimal Hazard
 Physical Hazard 0 - Minimal Hazard

Regulation (EC) No. 1272/2008: This mixture is not classified as hazardous.

Export and Import of Dangerous Chemicals Regulation (EC)No. 649/2012: This mixture is not classified as hazardous.

Directive 67/548/EEC & Directive 1999/45/EC: This mixture is not classified as hazardous.



SAFETY DATA SHEET
WICKED COLORS
10/22/15

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Substances: This mixture is a proprietary not hazardous acrylic based product.

Risk and Safety Phrases: Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) These ingredients are regarded as trade secrets.

SECTION IV – FIRST AID MEASURES

Inhalation: If affected, get fresh air.

Skin Contact: Wash affected area thoroughly with plenty of soap and water.

Eye Contact: Carefully flush with water for 15 minutes. If irritation occurs, contact a physician.

Ingestion: Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

SECTION V – FIRE FIGHTING MEASURES

Flammable Summary: Product is not known to be flammable, combustible, pyrophoric or explosive.

Fire/Explosion Hazards: Not combustible. Polymers will not burn. However, dried polymer films are capable of burning. Material may spatter if temperatures exceed the Not Flammable

Flashpoint:

Firefighting Instructions: In case of fire, use normal firefighting equipment and the personal protective equipment recommended in Section 8 to include NIOSH approved self-contained breathing apparatus.

Hazardous Combustion Products: Decomposition or combustion of the dry solids may generate irritating vapors, monomers, hydrocarbons, carbon monoxide and carbon dioxide.

Unusual Fire and Explosion Hazards: None known.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Environmental precautions: No product should be released to the environment without due care.

Methods and Materials for Containment and Cleaning up: Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

SECTION VII – HANDLING AND STORAGE

Safe Handling: Use under ventilated conditions. Avoid eye contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use.

Storage: Keep the sample in a cool dry ventilated area.



SAFETY DATA SHEET
WICKED COLORS
10/22/15

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment:	Wear safety goggles and protective gloves to avoid dust contact.
Exposure Limits:	N/A to this mixture.
Respiratory and Ventilation:	Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.
Skin Protection:	Handle with non-porous nitrile gloves.
Eye Protection:	Safety glasses conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colored paint
Physical State:	Liquid
VOC Content:	27.7 g/L Regulatory
Solids percentage:	17
Color:	See product list in Section 16
Odor:	Detergent-like
Boiling Point:	Not determined
Freezing Point:	Not determined
State (pH):	7.5-8.5
Specific Gravity:	1.0 - 2.0
Viscosity:	25 mPas
Flashpoint:	Greater than 200 °F
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Solubility in water:	Miscible

SECTION X – STABILITY AND REACTIVITY

Reactivity:	Not reactive under conditions of normal use.
Chemical Stability:	Stable under conditions of normal use.
Conditions to Avoid:	All sources of ignition. Avoid heat. Avoid strong oxidizing agents.
Incompatible materials:	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds



SAFETY DATA SHEET
WICKED COLORS
10/22/15

Hazardous Decomposition Products: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION XI – TOXICOLOGICAL INFORMATION

Health Effects: Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.

Oral: Expected to be greater than 2,000 mg/kg (rats)

Ingestion: No effects known in usual and ordinary uses of product.

Inhalation: This product poses no inhalation risk.

Dermal: Not a skin sensitizer.

Eye Effects: Not an eye irritant.

SECTION XII – ECOLOGICAL INFORMATION

Toxicity: No information available.

Aquatic toxicity: No information available.

Persistence and degradability: A mixture of biodegradable and non biodegradable ingredients. No other information is available.

Bio accumulative potential: Not expected to bioaccumulate significantly.

Mobility in soil: No information available.

Additional ecological information: No information available.

SECTION XIII – DISPOSAL CONSIDERATIONS

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION XIV – TRANSPORTATION INFORMATION

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT Non-Bulk

Shipping Name Not regulated.
Technical Shipping Name Not regulated.
Hazard Class Not regulated.
UN Number Not regulated.
Packing Group Not regulated.

IMDG

Shipping Name Not regulated.
Technical Shipping Name Not regulated.
Hazard Class Not regulated.
UN Number Not regulated.
Packing Group Not regulated.
EmS Number Not regulated.
Marine Pollutant Not regulated.

ICAO/IATA

Shipping Name Not regulated.



SAFETY DATA SHEET
WICKED COLORS
10/22/15

Technical Shipping Name	Not regulated.
Hazard Class	Not regulated.
UN Number	Not regulated.
Packing Group	Not regulated.
Marine Pollutant	Not regulated.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

SECTION XV – REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA:	Not applicable
Section 355 (extremely hazardous substances):	Not applicable
Section 313 (Specific toxic chemical listing):	Not applicable
TSCA (Toxic Substance Control Act):	All ingredients are listed.
The Safe Drinking Water and Toxic Enforcement Act of 1986 - California Proposition 65:	As of August 3, 2017, this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.
Chemicals known to cause cancer:	None of the ingredients are listed as of August 3, 2017.
Chemicals known to cause reproductive toxicity for females:	None of the ingredients are listed as of August 3, 2017.
Chemicals known to cause reproductive toxicity for males:	None of the ingredients are listed as of August 3, 2017.
Chemicals known to cause developmental toxicity:	None of the ingredients are listed as of August 3, 2017.
Carcinogenicity categories: EPA (Environmental Protection Agency):	Not applicable to this mixture.
TLV (Threshold Limit Value established by ACGIH):	Not applicable to this mixture.
MAK (German Maximum Workplace Concentration):	Not applicable to this mixture.
NOISH-Ca (National Institute for Occupational Safety & Health):	Not applicable to this mixture.
OSHA-Ca (Occupational Safety & Health Administration):	Not applicable to this mixture

International Regulations

Canadian WHMIS:

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide
Ferric Oxide
Mica
Propylene Glycol

This product contains the following chemical(s) listed under New Jersey's Right to Know Program: Aluminum Oxide
Mica
Pigment Red 101



SAFETY DATA SHEET
WICKED COLORS
10/22/15

This product contains the following chemical(s) requiring notification to the state of Washington under their Children's Safe Products Act: None

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling: None

SECTION XVI – OTHER INFORMATION

COLOR INFORMATION

Product Color	SKU	Hazardous Ingredient
W001 Wicked White		(None)
W002 Wicked Black		(None)
W003 Wicked Yellow		(None)
W004 Wicked Orange		(None)
W005 Wicked Red		(None)
W006 Wicked Violet		(None)
W007 Wicked Blue		(None)
W008 Wicked Deep Blue		(None)
W009 Wicked Pthalo Green		(None)
W010 Wicked Brown		(None)
W011 Wicked Golden Yellow		(None)
W012 Wicked Red Oxide		(None)
W013 Wicked Laguna Blue		(None)
W014 Wicked Grey		(None)
W015 Wicked Crimson		(None)
W016 Wicked Apple Green		(None)
W019 Wicked Fluorescent Aqua		(None)
W020 Wicked Fluorescent Purple		(None)
W021 Wicked Fluorescent Raspberry		(None)
W022 Wicked Fluorescent Red		(None)
W023 Wicked Fluorescent Green		(None)
W024 Wicked Fluorescent Yellow		(None)
W025 Wicked Fluorescent Sunburst		(None)
W026 Wicked Fluorescent Pink		(None)
W027 Wicked Fluorescent Orange		(None)
W028 Wicked Fluorescent Blue		(None)
W029 Wicked Fluorescent Magenta		(None)
W030 Wicked Opaque White		(None)
W031 Wicked Jet Black		(None)
W032 Wicked Detail Opaque Flat White		(None)
W050 Wicked Detail White		(None)
W051 Wicked Detail Black		(None)
W052 Wicked Detail Yellow		(None)
W053 Wicked Detail Scarlet		(None)
W054 Wicked Detail Orange		(None)
W055 Wicked Detail Violet		(None)
W056 Wicked Detail Red Violet		(None)
W057 Wicked Detail Blue Violet		(None)
W058 Wicked Detail Blue Green		(None)
W059 Wicked Detail Moss Green		(None)
W060 Wicked Detail Viridian		(None)
W061 Wicked Detail Cobalt Blue		(None)
W062 Wicked Detail Cerulean Blue		(None)



SAFETY DATA SHEET
WICKED COLORS
10/22/15

Product Color	SKU	Hazardous Ingredient
W063 Wicked Detail Carmine		(None)
W064 Wicked Detail Magenta		(None)
W065 Wicked Detail Yellow Ochre		(None)
W066 Wicked Detail Burnt Orange		(None)
W067 Wicked Detail Raw Sienna		(None)
W068 Wicked Detail Raw Umber		(None)
W069 Wicked Detail Burnt Umber		(None)
W070 Wicked Detail Sepia		(None)
W071 Wicked Detail Paynes Grey		(None)
W072 Wicked Detail Smoke Black		(None)
W073 Wicked Detail Driscoll Tone		(None)
W074 Wicked Detail Burnt Sienna		(None)
W075 Wicked Detail Black-Magenta		(None)
W076 Wicked Detail Cory Saint Clair's Universal Fleshtone		(None)
W200 Wicked Transparent Base		(None)
W300 Wicked Pearl Black		(None)
W301 Wicked Pearl White		(None)
W302 Wicked Pearl Yellow		(None)
W303 Wicked Pearl Red		(None)
W304 Wicked Pearl Blue		(None)
W305 Wicked Pearl Lime Green		(None)
W306 Wicked Pearl Orange		(None)
W307 Wicked Pearl Plum		(None)
W350 Wicked Gold		(None)
W351 Wicked Silver		(None)
W352 Wicked Platinum		(None)
W353 Wicked Fastback Green		(None)
W354 Wicked Aluminum		(None)
W210 Wicked UV Glow Base		(None)
W211 Wicked UV Glow White		(None)
W212 Wicked Transparent Glow in the Dark		(None)

Original Date: 10/22/15
Last Revision Date: 08/03/2017

Reason for Issue: Updated formula information
Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
263 CENTER AVENUE
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Brand Names

This SDS applies to the following brand names: Wicked Colors / Wicked Detail Colors

Available from: Dixie Art Airbrush • www.dixieart.com • 800-783-2612



SAFETY DATA SHEET
Auto-Air Colors™ Quicksilver
Auto-Air Colors™ Gold Plating

CRX2017-268
September 29, 2017
Page 1

1. Identification of the Preparation and of The Company

Product Name and/or Code: Auto Air Colors™ Quicksilver
Auto Air Colors™ Gold Plating
Effective Date: 29-Sep-17
Manufacturer: Color Craft Ltd/ Createx Colors/ Auto-Air Colors
14 Airport Park Road, PO Box 120
East Granby, CT 06026
Information Contact: 860-653-5505
860-653-5505
Emergency Contact: Contact your local Poison Control Center.
Product Use: ART MATERIAL - Consumer Product.

2. Hazards Identification

Emergency Overview

WARNING! COMBUSTIBLE LIQUID AND VAPOR. IRRITANT.

Classification of the Product:

Label Elements

Conforms to ASTM D-4236



Pictograms

GHS07

GHS02

Signal Word

WARNING!

Hazard Statement

Causes eye irritation. May cause skin irritation.

Precaution Statement

Keep away from heat, sparks and flame. Avoid contact with eyes and skin. Wash thoroughly after handling. Close container after each use.

Use with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid breathing vapors or mist.

First Aid Statement

In case of eye contact, flush immediately with plenty of water for at least 15 minutes and get medical attention immediately; for skin, wash thoroughly with soap and water. If you experience difficulty in breathing, leave the area to obtain fresh air.

Children's Statement

KEEP OUT OF THE REACH OF CHILDREN.

NFPA

Health: 1

Flammability: 2

Reactivity : 0

HMIS

Health : 1

Flammability: 2

Physical Hazard: 0



SAFETY DATA SHEET

CRX2017-268

Auto-Air Colors™ Quicksilver

September 29, 2017

Auto-Air Colors™ Gold Plating

Page 2

Regulation (EC) No. 1272/2008

Studies have not been performed on this particular mixture. *The information below is based on data in the individual ingredients.*

Acute Toxicity 4 H302; Acute Toxicity 4 H312; Skin Irritation 2 H315; Eye Irritation 2 H319; Acute Toxicity 4 H332; Flammable liquid 3 H225; STOT SE 3 H336; Eye Damage 1 H318; Skin Sensitizer 1 H317; Aquatic Acute 1 H400.

3. Composition/Information on Ingredients:

Substances:

Mixture of the following chemicals:

Water (CAS No. 7732-18-5) < 61.00 %
2- Butoxy ethanol (CAS No. 111-76-2) < 26.00%
Propan-2-ol (CAS No. 67-63-0) < 4.00%
<i>BIT</i> : 1,2 -Benzisothiazol-3(2H)-one, 1,2- Benzisothiazolin-3-one (CAS No. 2634-33-5) < 10PPM

** The remainder of the formulation is composed of non-hazardous ingredients.*

Risk and Safety Phrases:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.

4. First Aid Measures

Inhalation	If affected, remove to fresh air.
Skin Contact	Wash the affected area thoroughly with plenty of soap and water.
Eye Contact	Carefully flush with water for 15 minutes and get medical attention immediately.
Ingestion	Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

5. Firefighting Measures

Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards	Combustible liquid and vapor.
Flashpoint/Flammability	118°F. This product is combustible.

6. Accidental Release Measures

Environmental Precautions	Avoid release to the environment. <i>Studies have not been performed on this particular mixture.</i>
Methods and Materials for Containment and Cleaning up	Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.



SAFETY DATA SHEET
Auto-Air Colors™ Quicksilver
Auto-Air Colors™ Gold Plating

CRX2017-268
 September 29, 2017
 Page 3

7. Handling and Storage

Safe Handling Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.

Storage Store between 50-100 deg. F., ideally 70 deg. F.

8. Exposure Controls/Personal Protection

Personal Protective Equipment Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

Exposure Limits

Substance	CAS#	OSHA PEL		NIOSH REL	ACGIH
		mg/m ³	8 hr. TWA(ST) STEL (C) Ceiling	Up to 10 - hr. TWA (ST) STEL (C) Ceiling	8 hr. TWA (ST) STEL (C) Ceiling
2-Butoxy ethanol	111-76-2	240	20 PPM	5 PPM	20 PPM
Propan-2-ol	67-63-0	980	400 PPM (ST) 500 PPM	400 PPM (ST) 500 PPM	200 PPM (ST) 500 PPM
1,2 -Benzisothiazol-3(2H)-one, 1,2- benzisothiazolin-3-one	2634-33-5	NOT ESTABLISHED			

Respiratory and Ventilation Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

Appearance Colored Paint

Physical State Liquid

VOC Content 36.1 g/L Regulatory

Solids percentage 5

Color Silver/Gold

Odor Acrylic-like.

Boiling Point Not determined.

Freezing Point Not determined.

State (pH) Not determined.

Specific Gravity Not determined.

Viscosity Not determined.

Flashpoint 118° F

Vapor Pressure Not applicable to this mixture.

Vapor Density <1

Solubility in Water Miscible



SAFETY DATA SHEET
Auto-Air Colors™ Quicksilver
Auto-Air Colors™ Gold Plating

CRX2017-268
September 29, 2017
Page 4

10. Stability and Reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Elevated temperatures (>50°C) and freezing.
Incompatible Materials	None known.
Hazardous Decomposition Products	No dangerous decomposition products known. Decomposition products depend on conditions.

11. Toxicological Information

Health Effects:	Studies have not been performed on this particular mixture. The information below is based on data in the individual ingredients.
Oral	<i>2-Butoxy ethanol: LD50 Rat: 300 - 2,000 mg/kg (literature value)</i> <i>Propan-2-ol: No data available.</i> <i>BIT: US 500.00000000 mg/kg body weight</i>
Dermal	<i>2-Butoxy ethanol: LD50 Rabbit: >1,000 - 2,000 mg/kg (literature value)</i> <i>Propan-2-ol: No data available.</i> <i>BIT: No data available.</i>
Inhalation	<i>2-Butoxy ethanol: LC50 (4h) Rat: 10 - 20 mg/l (literature value)</i> <i>Propan-2-ol: No data available.</i> <i>BIT: No data available.</i>
Eye Effects	Causes eye irritation.
Dermal Effects	May cause skin irritation.
Sensitization Effects	None known for the usual and ordinary uses of this product.
Inhalation Effects	May cause nose and throat irritation.
Ingestion Effects	None known for the usual and ordinary uses of this product.
<u>Additional Toxicological Information:</u>	<i>When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided by the manufacturer.</i>

12. Ecological Information

Toxicity:	Not expected to be harmful to the environment. <i>Studies have not been performed on this particular mixture.</i>
Aquatic Toxicity	<i>BIT: 1,2-benzisothiazol-3(2H)-one, 1,2- benzisothiazolin-3-one is a substance known to be very toxic to aquatic life.</i>
Persistence and Degradability	No information available.
Bio Accumulative Potential	No information available.
Mobility in Soil	No information available.
Additional Ecological Information	No information available.



SAFETY DATA SHEET
Auto-Air Colors™ Quicksilver
Auto-Air Colors™ Gold Plating

CRX2017-268
September 29, 2017
Page 5

13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.

14. Transport Information

DOT Non-Bulk	This regulation does not apply to the non-bulk material.
Shipping Name	Not regulated.
Technical Shipping Name	Not regulated.
Hazard Class	Not regulated.
UN Number	Not regulated.
Packing Group	Not regulated.

IMDG	UN-No. UN1263
Proper Shipping Name	UN-No. UN1263 PAINT RELATED MATERIAL
Hazard Class	Hazard Class 3
Packing Group	Packing Group III
Description	UN1263 PAINT RELATED MATERIAL (48°C cc)

ICAO/IATA	UN-No. UN1263
Proper Shipping Name	UN-No. UN1263 PAINT RELATED MATERIAL
Hazard Class	Hazard Class 3
Packing Group	Packing Group III
Description	UN1263 PAINT RELATED MATERIAL

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA	Not applicable to this mixture.
Section 355 (extremely hazardous substances)	Not applicable to this mixture.
Section 313 (Specific toxic chemical listing)	Not applicable to this mixture.
TSCA (Toxic Substance Control Act)	All ingredients are listed.
Proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

As of September 15, 2017, this product contains listed substances known to the State of California to cause cancer, birth defects or other



SAFETY DATA SHEET
Auto-Air Colors™ Quicksilver
Auto-Air Colors™ Gold Plating

CRX2017-268
 September 29, 2017
 Page 6

reproductive harm, at levels which would require a warning under the statute.

Carcinogenicity Categories

EPA (Environmental Protection Agency) Not applicable to this mixture.

TLV (Threshold Limit Value established by Refer to section 8.

ACGIH)

MAK (German Maximum Workplace Concentration) Not applicable to this mixture.

NIOSH (National Institute for Occupational Safety & Health) Not applicable to this mixture.

OSHA (Occupational Safety & Health Administration) Not applicable to this mixture.

16. Other Information

Reason for Issue: New Product
 Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
 Chief Toxicologist and President
 ENVIRONMENTAL MEDICINE, INC.
 778 CARVER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com
 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health: 1 **Caution:** May be irritating.
 Fire: 2 **Caution:** Combustible liquid flash point of 100°F to 200°F.
 Reactivity: 0 Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Health: 1 Irritation or minor reversible injury possible.
 Fire: 2 Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100°F but below 200°F. (Classes II & IIIA)



SAFETY DATA SHEET

Auto-Air Colors™ Quicksilver Auto-Air Colors™ Gold Plating

CRX2017-268

September 29, 2017

Page 7

Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react.
Non-Explosives.

Reactivity: 0

H Statements

- H225 - Highly Flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H315 - Causes skin irritation.
- H317 - May cause an allergic reaction.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H336 - May cause drowsiness or dizziness.
- H400 - Very Toxic to aquatic life.

Exposure Limits

- TWA - Time Weighted Average (8 hr.)
- STEL - Short Time Exposure Limit (15 min.)
- REL - Recommended Exposure Limit
- PEL - Permissible Exposure Limit
- IDLH - Immediately Dangerous to Life or Health



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**
14 Airport Park Road
East Granby, Connecticut 06026
Phone: 800-509-6563
Fax: 1-860-653-0643

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

SECTION I – PRODUCT IDENTIFICATION

Product Name: Auto Air Colors

Product Number: Air-Brush

Product Sizes: NA

Brand Name: Auto Air Colors

Product Class: ART MATERIAL - Consumer Product

SECTION II – HAZARDS IDENTIFICATION

Information pertaining to particular dangers for man and environment: Not a hazardous mixture

Emergency Overview
Non-Hazardous.

Label elements: Conforms to ASTM D-4236

Pictograms: No Pictograms are required for the mixture.

Signal Word: No signal word required.

Hazard Statement: No specific hazard warnings are required.

Precaution Statement: Not hazardous mixture.

Children's Statement: KEEP OUT OF REACH OF CHILDREN

Classification of the Product:

NFPA: Health 0 - Minimal Hazard
Flammability 0 - Not Combustible
Reactivity 0 - Stable

HMIS: Health 0 - Minimal Hazard
Flammability 0 - Minimal Hazard
Physical Hazard 0 - Minimal Hazard

Regulation (EC) No. 1272/2008: This mixture is not classified as hazardous.

Export and Import of Dangerous Chemicals Regulation (EC)No. 649/2012: This mixture is not classified as hazardous.

Directive 67/548/EEC & Directive 1999/45/EC: This mixture is not classified as hazardous.



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Substances: This mixture is a proprietary not hazardous acrylic based product.

Risk and Safety Phrases: Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) These ingredients are regarded as trade secrets.

SECTION IV – FIRST AID MEASURES

Inhalation: If affected, get fresh air.

Skin Contact: Wash affected area thoroughly with plenty of soap and water.

Eye Contact: Carefully flush with water for 15 minutes. If irritation occurs, contact a physician.

Ingestion: Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

SECTION V – FIRE FIGHTING MEASURES

Flammable Summary: Product is not known to be flammable, combustible, pyrophoric or explosive.

Fire/Explosion Hazards: Not combustible. Polymers will not burn. However, dried polymer films are capable of burning. Material may spatter if temperatures exceed the Not Flammable

Flashpoint:

Firefighting Instructions: In case of fire, use normal firefighting equipment and the personal protective equipment recommended in Section 8 to include NIOSH approved self-contained breathing apparatus.

Hazardous Combustion Products: Decomposition or combustion of the dry solids may generate irritating vapors, monomers, hydrocarbons, carbon monoxide and carbon dioxide.

Unusual Fire and Explosion Hazards: None known.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Environmental precautions: No product should be released to the environment without due care.

Methods and Materials for Containment and Cleaning up: Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

SECTION VII – HANDLING AND STORAGE

Safe Handling: Use under ventilated conditions. Avoid eye contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use.

Storage: Keep the sample in a cool dry ventilated area.



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment:	Wear safety goggles and protective gloves to avoid dust contact.
Exposure Limits:	N/A to this mixture.
Respiratory and Ventilation:	Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.
Skin Protection:	Handle with non-porous nitrile gloves.
Eye Protection:	Safety glasses conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colored paint
Physical State:	Liquid
VOC Content:	27.7 g/L Regulatory
Solids percentage:	17
Color:	See product list in Section 16
Odor:	Detergent-like
Boiling Point:	Not determined
Freezing Point:	Not determined
State (pH):	7.5-8.5
Specific Gravity:	1.0 - 2.0
Viscosity:	25 mPas
Flashpoint:	Greater than 200 °F
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Solubility in water:	Miscible

SECTION X – STABILITY AND REACTIVITY

Reactivity:	Not reactive under conditions of normal use.
Chemical Stability:	Stable under conditions of normal use.
Conditions to Avoid:	All sources of ignition. Avoid heat. Avoid strong oxidizing agents.
Incompatible materials:	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

SECTION XI – TOXICOLOGICAL INFORMATION

Health Effects:	Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.
Oral:	Expected to be greater than 2,000 mg/kg (rats)
Ingestion:	No effects known in usual and ordinary uses of product.
Inhalation:	This product poses no inhalation risk.
Dermal:	Not a skin sensitizer.
Eye Effects:	Not an eye irritant.

SECTION XII – ECOLOGICAL INFORMATION

Toxicity:	No information available.
Aquatic toxicity:	No information available.
Persistence and degradability:	A mixture of biodegradable and non biodegradable ingredients. No other information is available.
Bio accumulative potential:	Not expected to bioaccumulate significantly.
Mobility in soil:	No information available.
Additional ecological information:	No information available.

SECTION XIII – DISPOSAL CONSIDERATIONS

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION XIV – TRANSPORTATION INFORMATION

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT Non-Bulk

Shipping Name	Not regulated.
Technical Shipping Name	Not regulated.
Hazard Class	Not regulated.
UN Number	Not regulated.
Packing Group	Not regulated.

IMDG

Shipping Name	Not regulated.
Technical Shipping Name	Not regulated.
Hazard Class	Not regulated.
UN Number	Not regulated.
Packing Group	Not regulated.
EmS Number	Not regulated.
Marine Pollutant	Not regulated.

ICAO/IATA

Shipping Name	Not regulated.
Technical Shipping Name	Not regulated.
Hazard Class	Not regulated.



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

UN Number Not regulated.
Packing Group Not regulated.
Marine Pollutant Not regulated.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

SECTION XV – REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA: Not applicable

Section 355 (extremely hazardous substances): Not applicable

Section 313 (Specific toxic chemical listing): Not applicable

TSCA (Toxic Substance Control Act): All ingredients are listed.

The Safe Drinking Water and Toxic Enforcement Act of 1986 - California Proposition 65: As of August 3, 2017, this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

Chemicals known to cause cancer: None of the ingredients are listed as of August 3, 2017.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed as of August 3, 2017.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed as of August 3, 2017.

Chemicals known to cause developmental toxicity: None of the ingredients are listed as of August 3, 2017.

Carcinogenicity categories:
EPA (Environmental Protection Agency): Not applicable to this mixture.

TLV (Threshold Limit Value established by ACGIH): Not applicable to this mixture.

MAK (German Maximum Workplace Concentration): Not applicable to this mixture.

NOISH-Ca (National Institute for Occupational Safety & Health): Not applicable to this mixture.

OSHA-Ca (Occupational Safety & Health Administration): Not applicable to this mixture

International Regulations

Canadian WHMIS:

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide
Ferric Oxide
Mica
Propylene Glycol

This product contains the following chemical(s) listed under New Jersey's Right to Know Program: Aluminum Oxide
Mica
Pigment Red 101

This product contains the following chemical(s) requiring notification to the state of Washington under their Children's Safe Products Act: None



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling: None

SECTION XVI – OTHER INFORMATION

COLOR INFORMATION

Product Color	SKU	Hazardous Ingredient
4101 Aluminum Base (Fine)		(None)
4102 Aluminum Base (Medium)		(None)
4103 Aluminum Base (Coarse)		(None)
4001 Sealer White		(None)
4002 Sealer Dark		(None)
4004 Transparent Base		(None)
4201 Semi-Opaque Brite White		(None)
4202 Semi-Opaque Lemon Yellow		(None)
4203 Semi-Opaque Flame Yellow		(None)
4204 Semi-Opaque Chrome Yellow		(None)
4205 Semi-Opaque Flame Orange		(None)
4206 Semi-Opaque Flame Red		(None)
4207 Semi-Opaque Deep Red		(None)
4208 Semi-Opaque Emerald Green		(None)
4209 Semi-Opaque Dark Green		(None)
4210 Semi-Opaque Aqua		(None)
4211 Semi-Opaque Caribbean Blue		(None)
4212 Semi-Opaque Brite Blue		(None)
4213 Semi-Opaque Process Blue		(None)
4214 Semi-Opaque Midnight Blue		(None)
4215 Semi-Opaque Fuchsia		(None)
4216 Semi-Opaque Deep Purple		(None)
4217 Semi-Opaque Light Brown		(None)
4218 Semi-Opaque Dark Brown		(None)
4219 Semi-Opaque Medium Gray		(None)
4220 Semi-Opaque Deep Black		(None)
4221 Semi-Opaque Cream		(None)
4230 Transparent White		(None)
4231 Transparent Yellow		(None)
4232 Transparent Sun Gold		(None)
4233 Transparent Orange		(None)
4234 Transparent Fire Red		(None)
4235 Transparent Traffic Red		(None)
4236 Transparent Cherry Red		(None)
4237 Transparent Apple Green		(None)
4238 Transparent Brite Green		(None)
4241 Transparent Blue		(None)
4242 Transparent Marine Blue		(None)
4245 Transparent Magenta		(None)
4246 Transparent Red Violet		(None)
4247 Transparent Purple		(None)
4248 Transparent Root Beer		(None)
4249 Transparent Black		(None)
4250 Transparent Beige		(None)
4251 Transparent Tan		(None)
4253 Transparent Red Oxide		(None)
4255 Transparent Cobalt Blue		(None)



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

Product Color	SKU	Hazardous Ingredient
4256 Transparent Smoke Black		(None)
4257 Transparent Jet Black		(None)
4260 Fluorescent Hot Pink		(None)
4261 Fluorescent Hot Yellow		(None)
4262 Fluorescent Hot Green		(None)
4263 Fluorescent Hot Orange		(None)
4264 Fluorescent Hot Berry		(None)
4265 Fluorescent Hot Red		(None)
4266 Fluorescent Hot Purple		(None)
4267 Fluorescent Hot Sunburst		(None)
4301 Pearl White		(None)
4302 Pearl Silver		(None)
4303 Pearl Gold		(None)
4304 Pearl Lime Green		(None)
4305 Pearl Green		(None)
4306 Pearl Teal		(None)
4308 Pearl Blue		(None)
4309 Pearl Red		(None)
4310 Pearl Magenta		(None)
4311 Pearl Plum		(None)
4312 Pearl Purple		(None)
4314 Pearl Black		(None)
4315 Pearl Orange		(None)
4316 Pearl Radiant Red		(None)
4330 Metallic White (Fine)		(None)
4331 Metallic White (Coarse)		(None)
4332 Metallic Silver		(None)
4333 Metallic Gold		(None)
4334 Metallic Bronze		(None)
4335 Metallic Copper		(None)
4337 Metallic Blue Silver		(None)
4338 Metallic Burnt Orange		(None)
4340 Metallic Midnight Blue		(None)
4341 Metallic Fastback Green		(None)
4342 Metallic Elegance		(None)
4343 Metallic Platinum		(None)
4344 Metallic Charcoal-Viola		(None)
4345 Metallic Pewter		(None)
4346 Metallic Light Brown		(None)
4347 Metallic Dark Brown		(None)
4348 Metallic Rose		(None)
4349 Metallic Actress Gold		(None)
4350 Iridescent Brite Yellow		(None)
4353 Iridescent Apple Red		(None)
4355 Iridescent Brite Blue		(None)
4356 Iridescent Electric Blue		(None)
4358 Iridescent Purple		(None)
4401 Gem Sapphire		(None)
4404 Gem Ruby		(None)
4410 Flair Tint Bronze		(None)
4411 Flair Tint Violet		(None)
4412 Flair Teal / Purple		(None)
4413 Flair Blue Copper		(None)
4446 Flair Silver Spectrum		(None)



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

Product Color	SKU	Hazardous Ingredient
4420 Hi-Lite Gold		(None)
4421 Hi-Lite Orange		(None)
4422 Hi-Lite Red		(None)
4423 Hi-Lite Green		(None)
4424 Hi-Lite Blue		(None)
4425 Hi-Lite Purple		(None)
4501 Hot Rod Sparkle White		(None)
4502 Hot Rod Sparkle Spectrum		(None)
4503 Hot Rod Sparkle Gold		(None)
4504 Hot Rod Sparkle Blue		(None)
4505 Hot Rod Sparkle Green		(None)
4506 Hot Rod Sparkle Red		(None)
4507 Hot Rod Sparkle Purple		(None)
4520 Cosmic Sparkle Silver		(None)
4521 Cosmic Sparkle Gold		(None)
4522 Cosmic Sparkle Red		(None)
4523 Cosmic Sparkle Copper		(None)
4524 Cosmic Sparkle Blue		(None)
4525 Cosmic Sparkle Green		(None)
4526 Cosmic Sparkle Autumn Red		(None)
4530 Sparklescent Mango II		(None)
4531 Sparklescent Electric Green II		(None)
4532 Sparklescent Tequila Yellow II		(None)
4533 Sparklescent Toxic Green II		(None)
4534 Sparklescent Porn Star Pink II		(None)
4535 Sparklescent Rock Star Red II		(None)
4536 Sparklescent Real Teal II		(None)
4537 Sparklescent Nightmare Blue II		(None)
4538 Sparklescent Fine Wine II		(None)
4539 Sparklescent Blizzard Blue II		(None)
4590 Sparklescent Bada Bling Silver		(None)
4592 Sparklescent Radberry		(None)
4593 Sparklescent Sungold Orange		(None)
4594 Sparklescent Lilac		(None)
4601 Candy Pigment Yellow		(None)
4602 Candy Pigment Sunset		(None)
4603 Candy Pigment Orange		(None)
4605 Candy Pigment Apple Red		(None)
4606 Candy Pigment Black Cherry		(None)
4607 Candy Pigment Brite Blue		(None)
4608 Candy Pigment Teal Blue		(None)
4609 Candy Pigment Emerald Green		(None)
4610 Candy Pigment Deep Green		(None)
4611 Candy Pigment Magenta		(None)
4612 Candy Pigment Purple		(None)
4613 Candy Pigment Racing Blue		(None)
4614 Candy Pigment Root Beer		(None)
4615 Candy Pigment Black		(None)
4616 Candy Pigment Brandy		(None)
4617 Candy Pigment Old Gold		(None)
4618 Candy Pigment Racing Green		(None)
4619 Candy Pigment Black Magenta		(None)



SAFETY DATA SHEET
AUTO AIR COLORS
10/22/15

Original Date:
Last Revision Date:

10/22/15

Reason for Issue:
Prepared by:

Updated formula information
Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
263 CENTER AVENUE
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Brand Names

This SDS applies to the following brand names: Auto Air Colors

Available from: [Dixie Art Airbrush • www.dixieart.com](http://www.dixieart.com) • 800-783-2612