



SAFETY DATA SHEET

WICKED SPECIAL EFFECT PIGMENTS

Page 1 of 8

1. Identification of the Preparation and of The Company

1.1 Product Name and/or code: WICKED SPECIAL EFFECT PIGMENTS
 Effective Date: 1/26/2021
1.2 Manufacturer: Color Craft Ltd / Createx Colors
 14 Airport Park Road, PO Box 120
 East Granby, CT 06026
 Information Contact: 860-563-5505
1.3 Emergency Contact: 800-255-3924
 813-248-0573

Emergency Response Service: ChemTel Inc.
 1305 North Florida Avenue
 Tampa, FL 33602 USA
 813-248-0573
 www.chemtelinc.com

Contact Number: MIS4120068
 Within the United States, Canada, Puerto Rico, and the U.S. Virgin Islands: 1-800-255-3924

Outside the United States, Canada, Puerto Rico, and the U.S. Virgin Islands: +01-813-248-0585

China: 400-120-0751
 Brazil: 0-800-591-6042
 India: 000-800-100-4086
 Mexico: 01-800-099-0731

For Health Emergencies: Contact your local Poison Control Center.

1.4 Product Use: Art Material – Consumer Product

2. Hazards Identification

Emergency Overview

CAUTION! MAY CAUSE EYE AND SKIN IRRITANTION.

2.1 Classification of the Product:

Label Elements

Conforms to ASTM D-4236

Hazard Pictograms



GHS07

Signal Word

CAUTION!



SAFETY DATA SHEET

WICKED SPECIAL EFFECT PIGMENTS

Hazard Statement	May cause nose and throat irritation.
Precaution Statement:	Avoid contact with eyes, skin, and clothing. Do not inhale spray mist. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wash thoroughly after using.
Children's Statement	KEEP OUT OF REACH OF CHILDREN.
2.2 Other hazards	
NFPA	Health: 1 Flammability: 0 Reactivity: 0
HMIS	Health: 1 Flammability: 0 Reactivity: 0
2.3 Regulation (EC) No. 1272/2008	<u>Classification for the mixture under CLP Labelling:</u>
<i>Signal Word Code (CLP Labelling)</i>	Warning (category 2B)
<i>H- Statements</i>	Causes eye irritation (H320)
<i>P-Statements</i>	Wash thoroughly after handling (P264); Wear eye protection. (P280); IF IN EYES: rinse cautiously with water for several minutes. (P305, P351); Remove contact lenses, if present and easy to do. Continue rinsing. (P338); If eye irritation persists: Get medical attention. (P337, P313).
Substances of very high concern (SVHC)	No classification for the hazardous ingredient.

3. Composition/Information on Ingredients:

3.1 Substances:

Mixture of the following chemicals: Dipropylene Glycol Monomethyl Ether (CAS No. 34590-94-8) < 3.00%
The remainder of the formulation is composed of non-hazardous ingredients.

Regulation (EC) No. 1272/2008 (CLP)

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.

4. First Aid Measures

4.1 Description of first aid measures

Inhalation	If affected, remove to fresh air.
Skin Contact	Wash the affected area thoroughly with plenty of soap and water.
Eye Contact	Carefully flush with water for 15 minutes. If irritation occurs, contact a physician.



SAFETY DATA SHEET WICKED SPECIAL EFFECT PIGMENTS

Ingestion If swallowed, do not induce vomiting. Contact a physician immediately.

5. Firefighting Measures

- 5.1 Extinguishing Media Water, foam, carbon dioxide or dry chemical equipment.
- 5.2 Fire/Explosion Hazards This product is not known to present any fire hazard.
- 5.3 Flashpoint/Flammability Not flammable

6. Accidental Release Measures

- 6.1 Methods and Materials for Containment and Cleaning up Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

- 7.1 Safe Handling Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.
- 7.2 Environmental precautions No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.
- 7.3 Storage Store containers in a cool, dry, well ventilated area.

8. Exposure Controls/Personal Protection

- 8.1 Personal Protective Equipment Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

8.2 Exposure Limits (USA)

Substance	OSHA PEL	OSHA PEL	ACGHI	ACGHI
		STEL	TWA	STEL
Dipropylene glycol methyl ether	600 mg/m ³ ; 100 PPM	100 PPM	150 PPM	100 PPM

- 8.3 Respiratory and Ventilation Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties



SAFETY DATA SHEET

WICKED SPECIAL EFFECT PIGMENTS

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Physical State	Liquid
VOC Content	40.8 g/L Regulatory
Color	Various
Odor	Ether-like odor
Boiling Point	Not determined
Freezing Point	Not determined
State (pH)	8.5
Specific Gravity	No data available
Viscosity	No data available
Flashpoint	Not Flammable
Vapor Pressure	Not determined
Vapor Density	Not determined
Solubility in water	Miscible

10. Stability and Reactivity

10.1 Reactivity	No dangerous reaction known under conditions of normal use.
10.2 Chemical Stability	Stable under recommended storage conditions.
10.3 Conditions to Avoid	Avoid all sources of ignition.
10.4 Incompatible materials	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds.
10.5 Hazardous Decomposition Products	Carbon monoxide, carbon dioxide.

11. Toxicological Information

11.1 Information on toxicological effects

Health Effects None known for the usual and ordinary uses of this product.

Acute Toxicity *May be harmful if swallowed. May affect the brain or nervous system causing dizziness, headache or nausea.*

**Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.*

Dipropylene Glycol Monomethyl Ether: (literature value) : LD50 Oral - 5,000 mg/kg (Rat); LD50 Dermal - 9,500 mg/kg (Rat); LC50 Inhalation - 72.6 mg/l - 4 hrs. (Rat).

Eye Effects May cause eye irritation

Skin Effects May cause skin irritation on sensitive individuals.

Inhalation May cause respiratory irritation.

Dipropylene Glycol Monomethyl Ether: May cause mild CNS depression. Exposure to vapor may cause irritation of the eyes, nose or throat.



SAFETY DATA SHEET

WICKED SPECIAL EFFECT PIGMENTS

Sensitization	No effects are likely to occur during the foreseeable and reasonable use of the product.
Ingestion	No effects are likely to occur during the foreseeable and reasonable use of the product.
Chronic Effects	No effects are likely to occur during the foreseeable and reasonable use of the product.
<u>Additional toxicological information:</u>	When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided.

12. Ecological Information

12.1 Toxicity:	Not expected to be harmful to the environment. No product should be released to the environment.
Aquatic toxicity	Non-hazardous to water.
12.2 Persistence and degradability	Not persistent. Biodegradable. <i>Not relevant to this mixture.</i>
12.3 Bio accumulative potential	Does not occur. <i>Not relevant to this mixture.</i>
12.4 Mobility in soil	Mixture is similar to water. <i>Not relevant to this mixture.</i>
12.5 PBT and vPvB	This mixture is not PBT/vPvB
12.6 Additional ecological information	As a general rule, no product should be released to the environment.

13. Disposal Considerations

13.1 Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.

14. Transport Information

14.1 The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT	This regulation does not apply to the non-bulk material.
IMDG	This regulation does not apply to the non-bulk material.
ICAO/IATA	This regulation does not apply to the non-bulk material.

14.2 This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.	
SARA	Not applicable to this mixture.
Section 355 (extremely hazardous substances)	Not applicable to this mixture.
Section 313 (specific toxic chemical listing)	Not applicable to this mixture.
TSCA (Toxic Substance Control Act)	All ingredients are listed.



SAFETY DATA SHEET

WICKED SPECIAL EFFECT PIGMENTS

Page 6 of 8

California Proposition 65

As of January 20, 2021, this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at concentrations which would require a warning under the statute.

Carcinogenicity categories
EPA (Environmental Protection Agency) Not applicable to this mixture.
Not applicable to this mixture.

TLV (Threshold Limit Value established by
ACGIH) Not applicable to this mixture. Refer to section 8 for further
information on individual substances of this mixture.

NIOSH (National Institute for Occupational
Safety & Health) Not applicable to this mixture.

OSHA (Occupational Safety & Health
Administration) Not applicable to this mixture.

MAK (German Maximum Workplace
Concentration) Not applicable to this mixture.

16. Other Information

Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
778 Carver Avenue
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:

**NFPA (SCALE 0-4) National Fire Protection
Association (USA)**

Health: 1 - Caution. May be irritating.
Fire: 0 - Not combustible.
Reactivity: 0 - Stable. Not reactive when mixed with water.



SAFETY DATA SHEET

WICKED SPECIAL EFFECT PIGMENTS

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Health: 1 - Slight hazard: Irritation or minor reversible injury possible.

Fire: 0 - Minimal hazard: Materials that will not burn.

Physical Hazard: 0 - Minimal hazard: This material is normally stable, even under fire conditions and will not react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Exposure Limits

TWA - Time Weighted Average (8 hr.)

STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit

PEL - Permissible Exposure Limit

IDLH - Immediately Dangerous to Life or

Health

COLOR INFORMATION

This SDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

Product Color	Hazardous Ingredient
W400 Wicked Hi-Lite Gold	(None)
W401 Wicked Hi-Lite Orange	(None)
W402 Wicked Hi-Lite Red	(None)
W403 Wicked Hi-Lite Green	(None)
W404 Wicked Hi-Lite Blue	(None)
W405 Wicked Hi-Lite Purple	(None)
W420 Wicked Hot Rod Sparkle White	(None)
W421 Wicked Hot Rod Sparkle Spectrum	(None)
W422 Wicked Hot Rod Sparkle Gold	(None)
W423 Wicked Hot Rod Sparkle Blue	(None)
W424 Wicked Hot Rod Sparkle Green	(None)
W425 Wicked Hot Rod Sparkle Red	(None)
W426 Wicked Hot Rod Sparkle Purple	(None)
W440 Wicked Cosmic Sparkle Silver	(None)
W441 Wicked Cosmic Sparkle Gold	(None)
W442 Wicked Cosmic Sparkle Red	(None)
W443 Wicked Cosmic Sparkle Copper	(None)
W444 Wicked Cosmic Sparkle Blue	(None)
W445 Wicked Cosmic Sparkle Green	(None)



SAFETY DATA SHEET
WICKED SPECIAL EFFECT PIGMENTS

Product Color	Hazardous Ingredient	
W446 Wicked Cosmic Sparkle Autumn Red		(None)
W450 Wicked Flair Tint Violet		(None)
W451 Wicked Flair Teal/Purple		(None)
W452 Wicked Flair Blue/Copper		(None)
W453 Wicked Flair Silver Spectrum		(None)

Available from: Dixie Art Airbrush • www.dixieart.com • 800-783-2612